EK

Notice of Allowability	Application No.	Applicant(s)
	10/602,675	JANG ET AL.
	Examiner	Art Unit
	(Nancy) Thanh-Nhan P Nguyen	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 3/9/2005.		
2. The allowed claim(s) is/are 1-28.		
3. The drawings filed on 25 June 2003 are accepted by the Examiner.		
 4.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 6/25/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit 	6. ⊠ Interview Summary Paper No./Mail Da 98), 7. □ Examiner's Amenda	te <u>3/9/2005</u> .
of Biological Material	9.	

DETAILED ACTION

- 1. This communication is responsive to the Amendment dated 3/9/2005.
- 2. Claims 1-28 are presented for examination.
- 3. Claims 1-28 are allowed.
- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - a. Sakamoto et al U.S. Patent Application Publication No. 2003/0030768 discloses the reflective layer covering the common line and the thin film transistor and corresponding to the reflective portion of the transflective type LCD.
 - b. Ha et al U.S. Patent Application Publication No. 2003/0058389 ("Ha") discloses the insulating layer on the reflective layer; a pixel electrode on the insulating layer at the pixel region, and the pixel electrode being transparent and connected to the drain electrode. However, "Ha" reference is the same assignee as current application.
- 5. The following is an examiner's statement of reasons for allowance:

Applicant's claimed invention distinguishes over the prior art for the following reasons. The claims are allowable over the prior art of record because none of the references, either alone or in combination, discloses or renders obvious the array substrate for a transflective liquid crystal display device comprising a reflective layer covering the common line and the thin film transistor

Application/Control Number: 10/602,675

Art Unit: 2871

and corresponding to the reflective portion; an insulating layer on the reflective layer, the insulating layer having an open portion corresponding to the drain electrode; and a transparent electrode formed on a portion of the insulating layer and connected to the drain electrode and disposed in the pixel region.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/602,675

Art Unit: 2871

Any inquiry concerning this communication or earlier communications from

the examiner should be directed to (Nancy) Thanh-Nhan P Nguyen whose

telephone number is 571-272-1673. The examiner can normally be reached on

M-F/9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the

examiner's supervisor, Robert Kim can be reached on 571-272-2293. The fax

phone number for the organization where this application or proceeding is

assigned is 703-872-9306.

Information regarding the status of an application may be obtained from

the Patent Application Information Retrieval (PAIR) system. Status information

for published applications may be obtained from either Private PAIR or Public

PAIR. Status information for unpublished applications is available through

Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-197 (toll-

free).

March 14, 2005

TN

ROBERT'H, KIM SUPERVISORY PATENT EXAMINE

TECHNOLOGY CENTER 2800

Page 4